Prices for Merthyr Dyfan Cemetery 2024 / 2025						
BARRY TOWN COUNCIL - CYNGOR 1	TRE	F Y BARR				
BARKI TOWN GOOKSIE OTHOGIC			<u>-</u>			
Exclusive Right of Burial (Includes Cemetery Improvement	ent	Fee of £63	2			
Residents of Barry						
1 In any earthen grave 7' x 4' (70 years)				£657		
2 In any earthen cremated remains grave 4' x 3' (70 years)				£375		
3 In a walled grave or vault 7' x 4' (70 years)				£1,446		
4 In a walled grave or vault 7' x 8' (70 years)				£2,050		
5 Reclaimed earthen grave 7' x 4' (25 years)				£272		
Non - Residents of Barry						
1 lp ony conth on grove 71 × 41 /70 · · · · · · · ·	1 1			C4 045		
1 In any earthen grave 7' x 4' (70 years)				£1,845		
2 In any earthen cremated remains grave 4' x 3' (70 years)	+			£999		
3 In a walled grave or vault 7' x 4' (70 years) 4 In a walled grave or vault 7' x 8' (70 years)				£4,206		
5 Reclaimed earthen grave 7' x 4' (25 years)				£6,018 £692		
S Reciainled earthern grave 7 x 4 (25 years)				2092		
Interment Fees						
interment rees						
Residents of Barry						
Trooleente of Barry						
1 In Graves for which an Exclusive Right of Burial has been	ara	anted.				
In Graves is: When an Exclusive raight of Banar has seen		2111001				
a For an interment in an earthen grave.		1 Depth	2 Depth	3 Depth		
I Below Eighteen Years (Charged to WG MOU)		£309		£720		
II Eighteen years and over		£454	£654	£859		
,						
b For an interment in a bricked grave or vault.						
I Any interment in a bricked grave 7' x 4' or vault				£458		
II Any interment in a bricked grave 7' x 8' or vault				£739		
				0057		
c For any interment of cremated remains in any earthen g	rav	е.		£257		
d For any interment of cremated remains in the Garden of	 Da	mamhrance	3	£162		
di oi any interment oi ciemateu remains in the Galden of	1/6	ani c inibianic	5 .	٨١٥٧		
e To scatter ashes in the newly created Scatter Garden.	+			£54		
f For an interment of a body part in an earthen grave (up t	to £	250 at office	rs discreti	on).		
g For every 1 inch or part thereof in width excavated for a				000		
to admit a coffin or casket having a greater width than 2'	6"			£83		
h Cancellation Fee - 50% of original fee (For re-opened gr	rave	ae anlu)				
in Cancellation Fee - 50% of original fee (For re-opened gr	ıav(∏ ∏	zs urily).				
i To provide a test dig for one depth	H			£233		
To provide a test dig for two depth				£337		
. 5 provide a took any for the depart				~551		

2 lı	n	Graves for which an Exclusive Right of Burial has NOT	be	en granted		
1	, F	For an interment in an earthen grave				
	ı	Below Eighteen Years (Charged to WG MOU)				£309
+	i	I Eighteen years and over				£454
	ľ	Lighteen years and ever				2101
b	F	For every 1 inch or part thereof in width excavated for a	gra	ave which is		
	t	o admit a coffin or casket having a greater width than 2	6'			£83
		Cancellation Fee - 50% of original fee (For re-opened gr	av	es only).		
NOP	<u>Դ</u>	- Residents of Barry				
1 Iı	l n	□ Graves for which an Exclusive Right of Burial has been	gr	anted.		
а	F	or an interment in an earthen grave.			2 Depth	3 Depth
	I	Below Eighteen Years (Charged to WG MOU)		£927	,	£2,160
	I	I Eighteen years and over		£1,362	£1,962	£2,577
h	\ F	or an interment in a bricked grave or vault.				
	' '					
	I	Any interment in a bricked grave 7' x 4' or vault				£1,374
	I	Any interment in a bricked grave 7' x 8' or vault				£2,217
С	F	For any interment of cremated remains in any earthen g	ra۱	e.		£771
-	l F	_	R ₄	emembrance	2	£486
+	<u>'</u>				<i>.</i>	2,400
е	•	o scatter ashes in the newly created Scatter Garden.				£162
1	ļ_					
f		For every 1 inch or part thereof in width excavated for a				00.40
	t	o admit a coffin or casket having a greater width than 2	6			£249
1	. ,	Cancellation For E00/ of ariginal for /For re an and an		oo oolu)		
9		Cancellation Fee - 50% of original fee (For re-opened gr	av	es offiy).		
h	1	Γο provide a test dig for one depth				£699
	_	To provide a test dig for two depth				£1,011
		On the little Fall in Billia (B. inland)				
2 11	n T	Graves for which an Exclusive Right of Burial has NOT	be	en granted		
а	ı F	or an interment in an earthen grave				
+	I	Below Eighteen Years (Charged to WG MOU)				£927
\dagger	I	Eighteen years and over				£1,362
	Ī					
b	-	or every 1 inch or part thereof in width excavated for a				
	t	o admit a coffin or casket having a greater width than 2	' 6"			£249
+		Department For F00/ of a table 1/ /5				
C	(Cancellation Fee - 50% of original fee (For re-opened gi	av	es only).		

1				
Momerial Easa				
Memorial Fees				
		Fl	:	
For the right to erect any memorial, on a full grave where	an	Exclusive R	ignt of	0054
Burial has been granted: (Please refer to sizing below)			I	£254
For the right to erect any memorial, on a cremated remain				
Exclusive Right of Burial has been granted: (Please refer	to s	sizing below)	£215
For the right to erect a tablet, in front of a main memorial of	on a	a full grave	where	
an Exclusive Right of Burial has been granted, not exceed		-		
18" (front to back). Slopeing tablets permitted with height	_	,	• ,	
slopeing to 2 inches at front.			· · · · · · · · · · · · · · · · · · ·	£161
				2101
To carry out any additional inscription in relation to any for	rm (of memorial		£109
	1111	oi illelilollai		2109
Dameit ta mia a a annailt con dua manna (2012) a 10 a 12	 	h.a. a · (·	. !	C40
Permit to place a small wedge memorial in a location with	iin ti	ne cemetery	y in	£49
consultation with the Cemetery Team Leader				
249 WAN AN 2117/2011120Red ADDROUGH OF THE OFFICE OF THE	`tior			slab is not
required ontop of the concrete headstrips/rafts on new sec total overall height is restricted to 4' 7" (55 inches) fro		ns, however	is permit	ted but the
		ns, however	is permit	ted but the
	om t	ns, however the concrete	is permit headstri	ted but the p/raft.
total overall height is restricted to 4' 7" (55 inches) fro	om t	ns, however the concrete 7" (31 inches	is permit headstri	ted but the p/raft.
total overall height is restricted to 4' 7" (55 inches) fro For a Cremated Remains Grave the total overall height of	om t	ns, however the concrete 7" (31 inches e concrete h	is permite headstri	ted but the p/raft. ize of the s/rafts on the
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above	om t f 2' 7 e the	ns, however the concrete 7" (31 inches e concrete h ab on the ol	is permite headstries) is the seadstrips der section	ted but the p/raft. ize of the s/rafts on the ons. The
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation	om t 2' 7 e the n sla	ns, however the concrete 7" (31 inches concrete h ab on the ole num thicknes	is permite headstries) is the seadstrips der sections of 3 inc	ited but the p/raft. ize of the s/rafts on the ches.
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sec	f 2' 7 e the n sla nxim or ha	ns, however the concrete 7" (31 inches e concrete h ab on the ol- aum thicknes ard stone for ns, however	s) is the seadstrips der sections of 3 incumulations is permit	ited but the p/raft. ize of the s/rafts on the ches. The ches. slab is not the ched but the
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a maximum PLEASE NOTE that a reinforced concrete and/or granite or	f 2' 7 e the n sla nxim or ha	ns, however the concrete 7" (31 inches e concrete h ab on the ol- aum thicknes ard stone for ns, however	s) is the seadstrips der sections of 3 incumulations is permit	ited but the p/raft. ize of the s/rafts on the ches. The ches. slab is not the ched but the
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sec	f 2' 7 e the n sla nxim or ha	ns, however the concrete 7" (31 inches e concrete h ab on the ol- aum thicknes ard stone for ns, however	s) is the seadstrips der sections of 3 incumulations is permit	ited but the p/raft. ize of the s/rafts on the ches. The ches. slab is not the ched but the
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sections.	f 2' 7 e the n sla exim or ha	ns, however the concrete 7" (31 inches e concrete h ab on the ol- aum thicknes ard stone for ns, however the concrete	s) is the seadstrips der sections of 3 incumundations is permite headstri	ize of the strates on the ches. The ches. slab is not the p/raft.
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a maximum width permitted is 2' (24 inches) with a maximum equired ontop of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from	f 2' 7 e the n sla nxim or ha ction om t	ns, however the concrete 7" (31 inches e concrete hab on the old aum thicknes ard stone for ns, however the concrete	s) is the seadstrips der sections of 3 incumulations is permite headstrips stallation	ize of the drafts on the ches. slab is not ted but the p/raft.
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the inches of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the inches of the responsibility of the fixer mason to ensure that	f 2' 7 e the n sla nxim or ha ction om t	ns, however the concrete 7" (31 inches e concrete hab on the old aum thicknes ard stone for ns, however the concrete	s) is the seadstrips der sections of 3 incumulations is permite headstrips stallation	ize of the drafts on the ches. slab is not ted but the p/raft.
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the inches of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the inches of the responsibility of the fixer mason to ensure that	om t	ns, however the concrete 7" (31 inches e concrete h ab on the ol- num thicknes ard stone for ns, however the concrete emorial ins Memorial N	s) is the seadstrips der sections of 3 incumundation is permite headstrips tallation	ize of the strafts on the ches. The ches. slab is not ted but the p/raft. is carried industry).
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the interpretation of the concrete headstrips/rafts on the section of the se	om t	ns, however the concrete 7" (31 inches e concrete h ab on the ol- num thicknes ard stone for ns, however the concrete emorial ins Memorial N	s) is the seadstrips der sections of 3 incumundation is permite headstrips tallation	ize of the strafts on the ches. The ches. slab is not ted but the p/raft. is carried industry).
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectoral overall height is restricted to 2' 7" (31 inches) from the concrete with BS8415 (British Standard for the Babies Memorial Garden / New Garden of Remembrance	om t	ns, however the concrete 7" (31 inches e concrete h ab on the ol- num thicknes ard stone for ns, however the concrete emorial ins Memorial N	s) is the seadstrips der sections of 3 incumundation is permite headstrips tallation	ize of the strafts on the ches. The ches. slab is not ted but the p/raft. is carried industry).
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a maximum width permitted is 2' (24 inches) with a maximum on the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new section height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new section height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new section height	f 2' 7 2' the the slankim to the the the	ns, however the concrete for (31 inches concrete hab on the old and thickness for the concrete fine concrete for the concrete	s) is the seadstrips der sections of 3 incumulations is permite headstrips tallation.	ize of the strafts on the ches. The ches. slab is not ted but the p/raft. is carried industry).
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) fr	f 2' 7 2' the the slankim to the the the	ns, however the concrete for (31 inches concrete hab on the old and thickness for the concrete fine concrete for the concrete	s) is the seadstrips der sections of 3 incumulations is permite headstrips tallation.	ize of the strafts on the ches. slab is not ted but the p/raft. is carried industry).
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a maximum width permitted is 2' (24 inches) with a maximum on the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new section height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new section height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new section height	f 2' 7 2' the the slankim to the the the	ns, however the concrete for (31 inches concrete hab on the old and thickness for the concrete fine concrete for the concrete	s) is the seadstrips der sections of 3 incumulations is permite headstrips tallation.	ize of the strafts on the ches. The ches. slab is not ted but the p/raft. is carried industry).
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the control of the fixer mason to ensure that out in accordance with BS8415 (British Standard for the control of the control of the control of the control of the fixer mason to ensure that out in accordance with BS8415 (British Standard for the control of	f 2' 7 2' the the slauxim or ha the the x 3'	ns, however the concrete hab on the olum thickness however the concrete hab memorial insemble of the concrete hab on the concrete habitance habita	s) is the seadstrips der sections of 3 incumulation se headstrips the headstrips tallation desonry leads to the headstrips tallation desonry leads the headstrips tallation desonry leads to the headstrip desonry leads to the headst	ize of the strafts on the ches. slab is not ted but the p/raft. is carried industry). Octagon
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on the sectoral overall height is restricted to 2' 7" (31 inches) fr	f 2' 7 2' the the slauxim or ha the the x 3'	ns, however the concrete hab on the olum thickness however the concrete hab memorial insemble of the concrete hab on the concrete habitance habita	s) is the seadstrips der sections of 3 incumulation se headstrips the headstrips tallation desonry leads to the headstrips tallation desonry leads the headstrips tallation desonry leads to the headstrip desonry leads to the headst	ize of the strafts on the ches. slab is not ted but the p/raft. is carried industry). Octagon
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a maximum width permitted is 2' (24 inches) with a maximum vidth permitted is 2' (24 inches) with a maximum vidth permitted is 2' (24 inches) with a maximum vidth permitted is 2' (24 inches) with a maximum vidth permitted is 2' (27 inches) with a maximum vidth permitted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from t	f 2' 7 7 2 the the six im the the control on the co	ns, however the concrete hab on the olaum thickness and stone for the concrete he concrete	s) is the seadstrips der sections of 3 incumulation se headstrips the headstrips tallation desonry leads to the headstrips tallation desonry leads the headstrips tallation desonry leads to the headstrip desonry leads to the headst	ize of the strafts on the ches. slab is not ted but the p/raft. is carried industry). Octagon
For a Cremated Remains Grave the total overall height of memorial that includes the headstone plate and base, above new sections or above a reinforced concrete foundation maximum width permitted is 2' (24 inches) with a max PLEASE NOTE that a reinforced concrete and/or granite or required ontop of the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the concrete headstrips/rafts on new sectional overall height is restricted to 2' 7" (31 inches) from the control of the fixer mason to ensure that out in accordance with BS8415 (British Standard for the control of the control of the control of the control of the fixer mason to ensure that out in accordance with BS8415 (British Standard for the control of	f 2' 7 7 2 the the six im the the control on the co	ns, however the concrete hab on the olaum thickness and stone for the concrete he concrete	s) is the seadstrips der sections of 3 incumulation se headstrips the headstrips tallation desonry leads to the headstrips tallation desonry leads the headstrips tallation desonry leads to the headstrip desonry leads to the headst	ize of the strafts on the ches. slab is not ted but the p/raft. is carried industry). Octagon

Sanctum Panorama Columbaria					
Cost of 20 year lease				£239.40	
Cost of placement of each set of ashes within niche				£119.70	
Cost of inscribed plaque (to include up to 80 letters) including VAT.					
Cost of first ashes interment		Ĭ		£495.18	
Cost of placement of each set of ashes within niche				£119.70	
Cost of additional inscription to existing plaque including V	Ά	Т.		£68.04	
Cost of second ashes interment				£187.74	
Any plaques requiring more than 80 letters will incur an additional Artwork can be provided at an additional fee do		•	•	AT) per lettei	
<u>Other</u>					
A search for an entry of burial in the register books. (Each	aı	polication)		£10	
A certified copy of an entry of burial in the register books.	<u> </u>			£10	
Providing a duplicate burial deed (typed).				£10	
For the assignment (transfer) of the Exclusive Right of But	ria	<u> </u>		£30	
For the exhumation of human remains from an earthen gra				£1,169	
For the exhumation of human remains from a bricked grav				£2,080	
For the exhumation of right and the state of real states of real states. For the exhumation of an urn containing cremated remains from any grave. For the exhumation of cremated remains from the garden of remembrance					
Capping fee for any earthen grave.				£188	
For Purchase of Ornamental Tree and Plague				£155	
For Purchase of Bios Urn (options available for different se	ee	ds) including	VAT.	£75	
For Purchase of Print-a-Plate UK Plaque (for Bios Urn etc				£36	
Entries into Book of Remembrance				se refer to	
			separate	e literature	
THE GROUNDS ON WHICH CONSIDERATION CAN BE GIVEN RESIDENTS FEES WILL BE AS FOLLOWS AND THAT THIS D RELEVANT OFFICER:		_		_	
1. FORMER INHABITANTS OF BARRY WHO HAVE MOVED AN TREATMENT FOR A CONDITION THAT IS NOT AVAILABLE IN			CARE OF	2	
2. SOMEONE WHO HAS MOVED OUT OF BARRY TO LIVE WI CARE NO LONGER THAN FOUR YEARS PRIOR TO DEATH, V EXCEPTIONAL CIRCUMSTANCES WHICH WILL BE DETERM	VI٦	TH THE EXC	EPTION C		